

856 Ship Notice/Manifest

Functional Group ID=**SH**

Introduction:

This standard provides the standardized format and establishes the data contents of a ship notice/manifest transaction set. A ship notice/manifest lists the contents of a shipment of goods as well as additional information relating to the shipment, such as order information, product description, physical characteristics, type of packaging, marking, carrier information, and configuration of goods within the transportation equipment. The transaction set enables the sender to describe the contents and configuration of a shipment in various levels of detail and provides an ordered flexibility to convey information. The sender of this transaction is the organization responsible for detailing and communicating the contents of a shipment, or shipments, to one or more receivers of the transaction set. The receiver of this transaction set can be any organization having an interest in the contents of a shipment or information about the contents of a shipment.

Heading:

	<u>Pos. No.</u>	<u>Seg. ID</u>	<u>Name</u>	<u>Req. Des.</u>	<u>Max.Use</u>	<u>Loop Repeat</u>	<u>Notes and Comments</u>
M	010	ST	Transaction Set Header	M	1		
M	020	BSN	Beginning Segment for Ship Notice	M	1		
Not Used	030	NTE	Note/Special Instruction	F	100		
	040	DTM	Date/Time/Period	O	10		

Detail:

	<u>Pos. No.</u>	<u>Seg. ID</u>	<u>Name</u>	<u>Req. Des.</u>	<u>Max.Use</u>	<u>Loop Repeat</u>	<u>Notes and Comments</u>
			LOOP ID - HL			200000	
M	010	HL	Hierarchical Level	M	1		c1
Not Used	020	LIN	Item Identification	O	1		
Not Used	030	SN1	Item Detail (Shipment)	O	1		
Not Used	040	SLN	Subline Item Detail	O	100		
Not Used	050	PRF	Purchase Order Reference	O	1		
Not Used	060	PO4	Item Physical Details	O	1		
Not Used	070	PID	Product/Item Description	O	200		
	080	MEA	Measurements	O	40		
Not Used	090	PWK	Paperwork	O	25		
Not Used	100	PKG	Marking, Packaging, Loading	O	25		
	110	TD1	Carrier Details (Quantity and Weight)	O	20		
	120	TD5	Carrier Details (Routing Sequence/Transit Time)	O	12		
	130	TD3	Carrier Details (Equipment)	O	12		
Not Used	140	TD4	Carrier Details (Special Handling, or Hazardous Materials, or Both)	O	5		
Rec	150	REF	Reference Numbers	O	200		
	150	REF	Reference Numbers	O	200		

Not Used	160	PER	Administrative Communications Contact	O	1		
					LOOP ID - CLD		200
Not Used	170	CLD	Load Detail	O	1		
Not Used	180	REF	Reference Numbers	O	200		
Not Used	190	MAN	Marks and Numbers	O	10		
Not Used	200	DTM	Date/Time/Period	O	10		
Not Used	210	FOB	F.O.B. Related Instructions	O	1		
					LOOP ID - N1		200
M	220	N1	Name	M	1		
Not Used	230	N2	Additional Name Information	O	2		
Not Used	240	N3	Address Information	O	2		
Not Used	250	N4	Geographic Location	O	1		
					LOOP ID - N1		200
M	220	N1	Name	M	1		
Not Used	230	N2	Additional Name Information	O	2		
Not Used	240	N3	Address Information	O	2		
Not Used	250	N4	Geographic Location	O	1		
Not Used	260	REF	Reference Numbers	O	12		
Not Used	270	PER	Administrative Communications Contact	O	3		
Not Used	280	FOB	F.O.B. Related Instructions	O	1		
Not Used	290	SDQ	Destination Quantity	O	50		
Not Used	300	ETD	Excess Transportation Detail	O	1		
Not Used	310	CUR	Currency	O	1		
Not Used	320	ITA	Allowance, Charge or Service	O	10		
					LOOP ID - HL		200000
M	010	HL	Hierarchical Level	M	1	c2	
M	020	LIN	Item Identification	M	1		
M	030	SN1	Item Detail (Shipment)	M	1		
Not Used	040	SLN	Subline Item Detail	O	100		
M	050	PRF	Purchase Order Reference	M	1		
Not Used	060	PO4	Item Physical Details	O	1		
Not Used	070	PID	Product/Item Description	O	200		
Not Used	080	MEA	Measurements	O	40		
Not Used	090	PWK	Paperwork	O	25		
Not Used	100	PKG	Marking, Packaging, Loading	O	25		
Not Used	110	TD1	Carrier Details (Quantity and Weight)	O	20		
Not Used	120	TD5	Carrier Details (Routing Sequence/Transit Time)	O	12		
Not Used	130	TD3	Carrier Details (Equipment)	O	12		
Not Used	140	TD4	Carrier Details (Special Handling, or Hazardous Materials, or Both)	O	5		
M	150	REF	Reference Numbers	M	200		
	150	REF	Reference Numbers	O	200		
Not Used	160	PER	Administrative Communications Contact	O	1		
					LOOP ID - CLD		200
	170	CLD	Load Detail	O	1		

Not Used	180	REF	Reference Numbers	O	200
Not Used	190	MAN	Marks and Numbers	O	10
Not Used	200	DTM	Date/Time/Period	O	10
Not Used	210	FOB	F.O.B. Related Instructions	O	1
LOOP ID - N1					200
Not Used	220	N1	Name	O	1
Not Used	230	N2	Additional Name Information	O	2
Not Used	240	N3	Address Information	O	2
Not Used	250	N4	Geographic Location	O	1
Not Used	260	REF	Reference Numbers	O	12
Not Used	270	PER	Administrative Communications Contact	O	3
Not Used	280	FOB	F.O.B. Related Instructions	O	1
Not Used	290	SDQ	Destination Quantity	O	50
Not Used	300	ETD	Excess Transportation Detail	O	1
Not Used	310	CUR	Currency	O	1
Not Used	320	ITA	Allowance, Charge or Service	O	10

Summary:

	Pos. No.	Seg. ID	Name	Req. Des.	Max.Use	Loop Repeat	Notes and Comments
M	010	CTT	Transaction Totals	M	1		n1
M	020	SE	Transaction Set Trailer	M	1		

Transaction Set Notes

1. Number of line items (CTT01) is the accumulation of the number of HL segments. If used, hash total (CTT02) is the sum of the value of units shipped (SN102) for each SN1 segment.

Transaction Set Comments

1. The HL segment is the only mandatory segment within the HL loop, and by itself, the HL segment has no meaning.
2. The HL segment is the only mandatory segment within the HL loop, and by itself, the HL segment has no meaning.

Segment: **ST** Transaction Set Header
Position: 010
Loop:
Level: Heading
Usage: Mandatory
Max Use: 1
Purpose: To indicate the start of a transaction set and to assign a control number
Syntax Notes:
Semantic Notes:
Comments: 1 The transaction set identifier (ST01) is intended for use by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the invoice transaction set).

Data Element Summary

	Ref.	Data		Attributes
	Des.	Element	Name	
M	ST01	143	Transaction Set Identifier Code	M ID 3/3
			Code uniquely identifying a Transaction Set	
			856 X12.10 Ship Notice/Manifest	
M	ST02	329	Transaction Set Control Number	M AN 4/9
			Identifying control number assigned by the originator for a transaction set.	

Segment: **BSN** Beginning Segment for Ship Notice
Position: 020
Loop:
Level: Heading
Usage: Mandatory
Max Use: 1
Purpose: To transmit identifying numbers, dates, and other basic data relating to the transaction set

Syntax Notes:

Semantic Notes:

- Comments:**
- 1 BSN03 is the date the shipment transaction set is created.
 - 2 BSN04 is the time the shipment transaction set is created.

Data Element Summary

	Ref.	Data	Attributes
	Des.	Element Name	
M	BSN01	353 Transaction Set Purpose Code	M ID 2/2
		Code identifying purpose of transaction set	
		00 Original	
		01 Cancellation	
M	BSN02	396 Shipment Identification	M AN 2/30
		A unique control number assigned by the original shipper to identify a specific shipment	
M	BSN03	373 Date	M DT 6/6
		Date (YYMMDD)	
M	BSN04	337 Time	M TM 4/4
		Time expressed in 24-hour clock time (HHMMSS) (Time range: 000000 through 235959)	

Segment: **DTM** Date/Time/Period
Position: 040
Loop:
Level: Heading
Usage: Optional
Max Use: 10
Purpose: To specify pertinent dates and times
Syntax Notes: 1 At least one of DTM02 or DTM03 is required.
Semantic Notes:
Comments:

Data Element Summary

	<u>Ref.</u>	<u>Data</u>	<u>Attributes</u>
	<u>Des.</u>	<u>Element Name</u>	
M	DTM01	374 Date/Time Qualifier	M ID 3/3
		Code specifying type of date or time, or both date and time	
		011 Shipped	
	DTM02	373 Date	C DT 6/6
		Date (YYMMDD)	
	DTM03	337 Time	C TM 4/4
		Time expressed in 24-hour clock time (HHMMSS) (Time range: 000000 through 235959)	
	DTM04	623 Time Code	O ID 2/2
		Code identifying the time. In accordance with International Standards Organization standard 8601, time can be specified by a + or - and an indication in hours in relation to Universal Time Coordinate (UTC) time; since + is a restricted character, + and - are substituted by P and M in the codes that follow	
		CT Central Time	
		ET Eastern Time	
		MT Mountain Time	
		PT Pacific Time	

Segment: **HL Hierarchical Level**

Position: 010

Loop: HL Mandatory

Level: Detail

Usage: Mandatory

Max Use: 1

Purpose: To identify shipment level information.

Syntax Notes:

Semantic Notes:

Comments:

- 1 The HL segment is used to identify levels of detail information using a hierarchical structure, such as relating line-item data to shipment data, and packaging data to line-item data.
The HL segment defines a top-down/left-right ordered structure.
- 2 HL01 shall contain a unique alphanumeric number for each occurrence of the HL segment in the transaction set. For example, HL01 could be used to indicate the number of occurrences of the HL segment, in which case the value of HL01 would be "1" for the initial HL segment and would be incremented by one in each subsequent HL segment within the transaction.
- 3 HL02 identifies the hierarchical ID number of the HL segment to which the current HL segment is subordinate.
- 4 HL03 indicates the context of the series of segments following the current HL segment up to the next occurrence of an HL segment in the transaction. For example, HL03 is used to indicate that subsequent segments in the HL loop form a logical grouping of data referring to shipment, order, or item-level information.
- 5 HL04 indicates whether or not there are subordinate (or child) HL segments related to the current HL segment.

Data Element Summary

Ref.	Data		
<u>Des.</u>	<u>Element</u>	<u>Name</u>	<u>Attributes</u>
M	HL01	628 Hierarchical ID Number	M AN 1/12
		A unique number assigned by the sender to identify a particular data segment in a hierarchical structure	
	HL02	734 Hierarchical Parent ID Number	O AN 1/12
		Identification number of the next higher hierarchical data segment that the data segment being described is subordinate to	
M	HL03	735 Hierarchical Level Code	M ID 1/2
		Code defining the characteristic of a level in a hierarchical structure	
		S Shipment	
X	HL04	736 Hierarchical Child Code	O ID 1/1
		Code indicating whether if there are hierarchical child data segments subordinate to the level being described.	
		Refer to 003010 Data Element Dictionary for acceptable code values.	

Segment: **MEA** Measurements
Position: 080
Loop: HL Mandatory
Level: Detail
Usage: Optional
Max Use: 40
Purpose: To specify physical measurements, including dimension tolerances, weights and counts.

- Syntax Notes:**
- 1 At least one of MEA03 MEA05 MEA06 or MEA08 is required.
 - 2 If MEA03 is present, then MEA04 is required.
 - 3 If MEA05 is present, then MEA04 is required.
 - 4 If MEA06 is present, then MEA04 is required.
 - 5 If MEA07 is present, then MEA03 is required.
 - 6 Only one of MEA08 or MEA03 may be present.

- Semantic Notes:**
- Comments:**
- 1 When citing dimensional tolerances, any measurement requiring a sign (+ or -), or any measurement where a positive (+) value cannot be assumed, use MEA05 as the negative (-) value and MEA06 as the positive (+) value.

Data Element Summary

Ref.	Data		
<u>Des.</u>	<u>Element</u>	<u>Name</u>	<u>Attributes</u>
MEA01	737	Measurement Reference ID Code	O ID 2/2
		Code specifying the application of physical measurement cited. Refer to 003010 Data Element Dictionary for acceptable code values.	
MEA02	738	Measurement Qualifier	O ID 1/3
		Code identifying the type of measurement. G Gross Weight N Actual Net Weight	
MEA03	739	Measurement Value	C R 1/10
		The value of the measurement	
MEA04	355	Unit or Basis for Measurement Code	C ID 2/2
		Code identifying the basic unit of measurement. LB Pound	
X	MEA05	Range Minimum	C R 1/10
		The value specifying the minimum of the measurement range	
X	MEA06	Range Maximum	C R 1/10
		The value specifying the maximum of the measurement range	
X	MEA07	Measurement Significance Code	O ID 2/2
		Code used to benchmark, qualify or further define a measurement value Refer to 003010 Data Element Dictionary for acceptable code values.	
X	MEA08	Measurement Attribute Code	C ID 2/2

Segment: **TD1** Carrier Details (Quantity and Weight)

Position: 110

Loop: HL Mandatory

Level: Detail

Usage: Optional

Max Use: 20

Purpose: To specify the transportation details relative to commodity, weight, and quantity

Syntax Notes:

- 1 If TD101 is present, then TD102 is required.
- 2 If TD103 is present, then TD104 is required.
- 3 If TD106 is present, then both TD107 and TD108 are required.

Semantic Notes:

Comments:

Notes: TD1*CNT71*1234567!

Data Element Summary

<u>Ref.</u>	<u>Data</u>	<u>Element</u>	<u>Name</u>	<u>Attributes</u>
TD101	103		Packaging Code	O ID 5/5
			Code identifying the type of packaging; Part 1: Packaging Form, Part 2: Packaging Material	
			CNT Container	
			71 Not Otherwise Specified	
TD102	80		Lading Quantity	C N0 1/7
			Number of units (pieces) of the lading commodity	
X	TD103	23	Commodity Code Qualifier	O ID 1/1
			Code identifying the commodity coding system used for Commodity Code	
			Refer to 003010 Data Element Dictionary for acceptable code values.	
X	TD104	22	Commodity Code	C ID 1/16
			Code describing a commodity or group of commodities	
X	TD105	79	Lading Description	O AN 1/50
			Description of an item as required for rating and billing purposes	
X	TD106	187	Weight Qualifier	O ID 1/2
			Code defining the type of weight	
			Refer to 003010 Data Element Dictionary for acceptable code values.	
X	TD107	81	Weight	C R 1/8
			Numeric value of weight	
X	TD108	355	Unit or Basis for Measurement Code	C ID 2/2
			Code identifying the basic unit of measurement.	
			Refer to 003010 Data Element Dictionary for acceptable code values.	

Segment: **TD5** **Carrier Details (Routing Sequence/Transit Time)**

Position: 120
Loop: HL Mandatory

Level: Detail

Usage: Optional

Max Use: 12

Purpose: To specify the carrier and sequence of routing and provide transit time information

- Syntax Notes:**
- 1 At least one of TD502 TD504 or TD505 is required.
 - 2 If TD502 is present, then TD503 is required.
 - 3 If TD507 is present, then TD508 is required.
 - 4 If TD510 is present, then TD511 is required.

Semantic Notes:

- Comments:**
- 1 When specifying a routing sequence to be used for the shipment movement in lieu of specifying each carrier within the movement, use TD502 to identify the party responsible for defining the routing sequence, and use TD503 to identify the actual routing sequence, specified by the party identified in TD502.

Notes: TD5*B*2*9012345918341*A***PP*02535!

Data Element Summary

Ref.	Data		
<u>Des.</u>	<u>Element</u>	<u>Name</u>	<u>Attributes</u>
TD501	133	Routing Sequence Code	O ID 1/2
		Code describing the relationship of a carrier to a specific shipment movement	
		B Origin/Delivery Carrier (Any Mode)	
TD502	66	Identification Code Qualifier	C ID 1/2
		Code designating the system/method of code structure used for Identification Code (67)	
		2 Standard Carrier Alpha Code (SCAC)	
TD503	67	Identification Code	C ID 2/17
		Code identifying a party.	
TD504	91	Transportation Method/Type Code	C ID 1/2
		Code specifying the method or type of transportation for the shipment	
		A Air	
		E Expedited Truck	
		M Motor (Common Carrier)	
X	TD505	387 Routing	C AN 1/35
		Free-form description of the routing or requested routing for shipment, or the originating carrier's identity	
X	TD506	368 Shipment/Order Status Code	O ID 2/2
		Code indicating the status of an order or shipment or the disposition of any difference between the quantity ordered and the quantity shipped for a line item or transaction	
		Refer to 003010 Data Element Dictionary for acceptable code values.	

	TD507	309	Location Qualifier Code identifying type of location PP Pool Point	O ID 1/2
	TD508	310	Location Identifier Code which identifies a specific location	C AN 1/25
X	TD509	731	Transit Direction Code The point of origin and point of direction Refer to 003010 Data Element Dictionary for acceptable code values.	O ID 2/2
X	TD510	732	Transit Time Direction Qualifier Code specifying the value of time used to measure the transit time Refer to 003010 Data Element Dictionary for acceptable code values.	O ID 2/2
X	TD511	733	Transit Time The numeric amount of transit time	C R 1/4

Segment: **TD3** Carrier Details (Equipment)

Position: 130

Loop: HL Mandatory

Level: Detail

Usage: Optional

Max Use: 12

Purpose: To specify transportation details relating to the equipment used by the carrier

Syntax Notes: 1 If TD302 is present, then TD303 is required.

2 If TD304 is present, then both TD305 and TD306 are required.

Semantic Notes:

Comments:

Notes: TD3*AF**EQ48495****N!

Data Element Summary

	<u>Ref.</u>	<u>Data</u>	<u>Name</u>	<u>Attributes</u>
	<u>Des.</u>	<u>Element</u>		
M	TD301	40	Equipment Description Code Code identifying type of equipment used for shipment AF Air Freight (Break Bulk) TL Trailer (not otherwise specified)	M ID 2/2
X	TD302	206	Equipment Initial Prefix or alphabetic part of an equipment unit's identifying number	O AN 1/4
	TD303	207	Equipment Number Sequencing or serial part of an equipment unit's identifying number (pure numeric form for equipment number is preferred)	C AN 1/10
X	TD304	187	Weight Qualifier Code defining the type of weight Refer to 003010 Data Element Dictionary for acceptable code values.	O ID 1/2
X	TD305	81	Weight Numeric value of weight	C R 1/8
X	TD306	355	Unit or Basis for Measurement Code Code identifying the basic unit of measurement. Refer to 003010 Data Element Dictionary for acceptable code values.	C ID 2/2
	TD307	102	Ownership Code Code indicating the relationship of equipment to carrier. Refer to 003010 Data Element Dictionary for acceptable code values.	O ID 1/1

Segment: **REF** Reference Numbers
Position: 150
Loop: HL Mandatory
Level: Detail
Usage: Optional (Recommended)
Max Use: 200
Purpose: To specify identifying numbers.
Syntax Notes: 1 At least one of REF02 or REF03 is required.
Semantic Notes:
Comments:

Data Element Summary

	<u>Ref.</u>	<u>Data</u>	<u>Attributes</u>
	<u>Des.</u>	<u>Element Name</u>	
M	REF01	128 Reference Number Qualifier Code qualifying the Reference Number. BM Bill of Lading Number	M ID 2/2
	REF02	127 Reference Number Reference number or identification number as defined for a particular Transaction Set, or as specified by the Reference Number Qualifier.	C AN 1/30
	REF03	352 Description A free-form description to clarify the related data elements and their content	C AN 1/80

Segment: **REF** Reference Numbers
Position: 150
Loop: HL Mandatory
Level: Detail
Usage: Optional
Max Use: 200
Purpose: To specify identifying numbers.
Syntax Notes: 1 At least one of REF02 or REF03 is required.
Semantic Notes:
Comments:

Data Element Summary

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	<u>Attributes</u>
M	REF01	128	Reference Number Qualifier Code qualifying the Reference Number. PK Packing List Number	M ID 2/2
	REF02	127	Reference Number Reference number or identification number as defined for a particular Transaction Set, or as specified by the Reference Number Qualifier.	C AN 1/30
	REF03	352	Description A free-form description to clarify the related data elements and their content	C AN 1/80

Segment: **N1** Name
Position: 220
Loop: N1 Mandatory
Level: Detail
Usage: Mandatory
Max Use: 1
Purpose: To identify a party by type of organization, name, and code
Syntax Notes:

- 1 At least one of N102 or N103 is required.
- 2 If either N103 or N104 is present, then the other is required.

Semantic Notes:

Comments:

- 1 This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.

Notes:
 N1*SF**92*766799!
 N1*SU**92*766799!
 N1*SU**01*330922222!
 N1*SF**01*330922222!

Data Element Summary

Ref.	Data			Attributes
<u>Des.</u>	<u>Element</u>	<u>Name</u>		
M	N101	98	Entity Identifier Code	M ID 2/2
			Code identifying an organizational entity or a physical location.	
			SF Ship From	
			SU Supplier/Manufacturer	
X	N102	93	Name	C AN 1/35
			Free-form name	
	N103	66	Identification Code Qualifier	C ID 1/2
			Code designating the system/method of code structure used for Identification Code (67)	
			1 Dun and Bradstreet (Credit Reporting) (DUNS)	
			01 DUNS (ADIENT)	
			92 Assigned by Buyer or Buyer's Agent	
	N104	67	Identification Code	C ID 5/9
			Code identifying a party.	

Segment: **N1** Name

Position: 220

Loop: N1 Mandatory

Level: Detail

Usage: Mandatory

Max Use: 1

Purpose: To identify a party by type of organization, name, and code

Syntax Notes: 1 At least one of N102 or N103 is required.

2 If either N103 or N104 is present, then the other is required.

Semantic Notes:

Comments: 1 This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.

Notes: N1*ST**01*938845159!

Data Element Summary

Ref.	Data	Attributes
Des.	Element Name	
M	N101 98 Entity Identifier Code Code identifying an organizational entity or a physical location. ST Ship To	M ID 2/2
X	N102 93 Name Free-form name	C AN 1/35
	N103 66 Identification Code Qualifier Code designating the system/method of code structure used for Identification Code (67) 1 Dun and Bradstreet (Credit Reporting) (DUNS) 01 DUNS (ADIENT)	C ID 1/2
	N104 67 Identification Code Code identifying a party.	C ID 9/9

Segment: **HL Hierarchical Level**

Position: 010

Loop: HL Mandatory

Level: Detail

Usage: Mandatory

Max Use: 1

Purpose: To identify item level information.

Syntax Notes:

Semantic Notes:

Comments:

- 1 The HL segment is used to identify levels of detail information using a hierarchical structure, such as relating line-item data to shipment data, and packaging data to line-item data.
The HL segment defines a top-down/left-right ordered structure.
- 2 HL01 shall contain a unique alphanumeric number for each occurrence of the HL segment in the transaction set. For example, HL01 could be used to indicate the number of occurrences of the HL segment, in which case the value of HL01 would be "1" for the initial HL segment and would be incremented by one in each subsequent HL segment within the transaction.
- 3 HL02 identifies the hierarchical ID number of the HL segment to which the current HL segment is subordinate.
- 4 HL03 indicates the context of the series of segments following the current HL segment up to the next occurrence of an HL segment in the transaction. For example, HL03 is used to indicate that subsequent segments in the HL loop form a logical grouping of data referring to shipment, order, or item-level information.
- 5 HL04 indicates whether or not there are subordinate (or child) HL segments related to the current HL segment.

Data Element Summary

Ref.	Data		
<u>Des.</u>	<u>Element</u>	<u>Name</u>	<u>Attributes</u>
M	HL01	628 Hierarchical ID Number	M AN 1/12
		A unique number assigned by the sender to identify a particular data segment in a hierarchical structure	
	HL02	734 Hierarchical Parent ID Number	O AN 1/12
		Identification number of the next higher hierarchical data segment that the data segment being described is subordinate to	
M	HL03	735 Hierarchical Level Code	M ID 1/2
		Code defining the characteristic of a level in a hierarchical structure	
		I	Item
X	HL04	736 Hierarchical Child Code	O ID 1/1
		Code indicating whether if there are hierarchical child data segments subordinate to the level being described.	
		Refer to 003010 Data Element Dictionary for acceptable code values.	

Segment: **LIN** Item Identification

Position: 020

Loop: HL Mandatory

Level: Detail

Usage: Mandatory

Max Use: 1

Purpose: To specify basic item identification data

- Syntax Notes:**
- 1 If LIN04 is present, then LIN05 is required.
 - 2 If LIN06 is present, then LIN07 is required.
 - 3 If LIN08 is present, then LIN09 is required.
 - 4 If LIN10 is present, then LIN11 is required.
 - 5 If LIN12 is present, then LIN13 is required.
 - 6 If LIN14 is present, then LIN15 is required.
 - 7 If LIN16 is present, then LIN17 is required.
 - 8 If LIN18 is present, then LIN19 is required.
 - 9 If LIN20 is present, then LIN21 is required.
 - 10 If LIN22 is present, then LIN23 is required.
 - 11 If LIN24 is present, then LIN25 is required.
 - 12 If LIN26 is present, then LIN27 is required.
 - 13 If LIN28 is present, then LIN29 is required.
 - 14 If LIN30 is present, then LIN31 is required.

Semantic Notes:

- Comments:**
- 1 See the Data Dictionary for a complete list of ID's.
 - 2 LIN01 is the line item identification
 - 3 LIN02 through LIN31 provide for fifteen (15) different product/service ID's for each item. For Example: Case, Color, Drawing No., UPC No., ISBN No., Model No., SKU.

Data Element Summary

	Ref.	Data	Attributes
	Des.	Element Name	
X	LIN01	350 Assigned Identification Alphanumeric characters assigned for differentiation within a transaction set	O AN 1/6
M	LIN02	235 Product/Service ID Qualifier Code identifying the type/source of the descriptive number used in Product/Service ID (234) BP Buyer's Part Number RC Returnable Container No.	M ID 2/2
M	LIN03	234 Product/Service ID Identifying number for a product or service	M AN 1/30
	LIN04	235 Product/Service ID Qualifier Code identifying the type/source of the descriptive number used in Product/Service ID (234)	O ID 2/2

EC Engineering Change Level

	LIN05	234	Product/Service ID	C AN 1/30
			Identifying number for a product or service	
X	LIN06	235	Product/Service ID Qualifier	O ID 2/2
			Code identifying the type/source of the descriptive number used in Product/Service ID (234)	
			Refer to 003010 Data Element Dictionary for acceptable code values.	
X	LIN07	234	Product/Service ID	C AN 1/30
			Identifying number for a product or service	
X	LIN08	235	Product/Service ID Qualifier	O ID 2/2
			Code identifying the type/source of the descriptive number used in Product/Service ID (234)	
			Refer to 003010 Data Element Dictionary for acceptable code values.	
X	LIN09	234	Product/Service ID	C AN 1/30
			Identifying number for a product or service	
X	LIN10	235	Product/Service ID Qualifier	O ID 2/2
			Code identifying the type/source of the descriptive number used in Product/Service ID (234)	
			Refer to 003010 Data Element Dictionary for acceptable code values.	
X	LIN11	234	Product/Service ID	C AN 1/30
			Identifying number for a product or service	
X	LIN12	235	Product/Service ID Qualifier	O ID 2/2
			Code identifying the type/source of the descriptive number used in Product/Service ID (234)	
			Refer to 003010 Data Element Dictionary for acceptable code values.	
X	LIN13	234	Product/Service ID	C AN 1/30
			Identifying number for a product or service	
X	LIN14	235	Product/Service ID Qualifier	O ID 2/2
			Code identifying the type/source of the descriptive number used in Product/Service ID (234)	
			Refer to 003010 Data Element Dictionary for acceptable code values.	
X	LIN15	234	Product/Service ID	C AN 1/30
			Identifying number for a product or service	
X	LIN16	235	Product/Service ID Qualifier	O ID 2/2
			Code identifying the type/source of the descriptive number used in Product/Service ID (234)	
			Refer to 003010 Data Element Dictionary for acceptable code values.	
X	LIN17	234	Product/Service ID	C AN 1/30
			Identifying number for a product or service	
X	LIN18	235	Product/Service ID Qualifier	O ID 2/2
			Code identifying the type/source of the descriptive number used in Product/Service ID (234)	

			Refer to 003010 Data Element Dictionary for acceptable code values.	
X	LIN19	234	Product/Service ID	C AN 1/30
			Identifying number for a product or service	
X	LIN20	235	Product/Service ID Qualifier	O ID 2/2
			Code identifying the type/source of the descriptive number used in Product/Service ID (234)	
			Refer to 003010 Data Element Dictionary for acceptable code values.	
X	LIN21	234	Product/Service ID	C AN 1/30
			Identifying number for a product or service	
X	LIN22	235	Product/Service ID Qualifier	O ID 2/2
			Code identifying the type/source of the descriptive number used in Product/Service ID (234)	
			Refer to 003010 Data Element Dictionary for acceptable code values.	
X	LIN23	234	Product/Service ID	C AN 1/30
			Identifying number for a product or service	
X	LIN24	235	Product/Service ID Qualifier	O ID 2/2
			Code identifying the type/source of the descriptive number used in Product/Service ID (234)	
			Refer to 003010 Data Element Dictionary for acceptable code values.	
X	LIN25	234	Product/Service ID	C AN 1/30
			Identifying number for a product or service	
X	LIN26	235	Product/Service ID Qualifier	O ID 2/2
			Code identifying the type/source of the descriptive number used in Product/Service ID (234)	
			Refer to 003010 Data Element Dictionary for acceptable code values.	
X	LIN27	234	Product/Service ID	C AN 1/30
			Identifying number for a product or service	
X	LIN28	235	Product/Service ID Qualifier	O ID 2/2
			Code identifying the type/source of the descriptive number used in Product/Service ID (234)	
			Refer to 003010 Data Element Dictionary for acceptable code values.	
X	LIN29	234	Product/Service ID	C AN 1/30
			Identifying number for a product or service	
X	LIN30	235	Product/Service ID Qualifier	O ID 2/2
			Code identifying the type/source of the descriptive number used in Product/Service ID (234)	
			Refer to 003010 Data Element Dictionary for acceptable code values.	
X	LIN31	234	Product/Service ID	C AN 1/30
			Identifying number for a product or service	

Segment: **SN1** Item Detail (Shipment)
Position: 030
Loop: HL Mandatory
Level: Detail
Usage: Mandatory
Max Use: 1
Purpose: To specify line-item detail relative to shipment
Syntax Notes: 1 If SN105 is present, then SN106 is required.
Semantic Notes:
Comments: 1 SN101 is the ship notice line item identification.
2 SN103 defines the unit of measurement for both SN102 and SN104.

Data Element Summary

	Ref.	Data	Attributes
	Des.	Element Name	
X	SN101	350 Assigned Identification Alphanumeric characters assigned for differentiation within a transaction set	O AN 1/6
M	SN102	382 Number of Units Shipped Numeric value of units shipped in manufacturer's shipping units for a line item or transaction set	M R 1/10
M	SN103	355 Unit or Basis for Measurement Code Code identifying the basic unit of measurement. EA Each FT Foot LB Pound PC Piece YD Yard	M ID 2/2
	SN104	646 Quantity Shipped to Date Number of units shipped to date	O R 1/9
X	SN105	330 Quantity Ordered Quantity ordered	O R 1/9
X	SN106	355 Unit or Basis for Measurement Code Code identifying the basic unit of measurement. Refer to 003010 Data Element Dictionary for acceptable code values.	C ID 2/2
X	SN107	728 Returnable Container Load Make-Up Code Code identifying the load make-up of the returnable containers in the shipment Refer to 003010 Data Element Dictionary for acceptable code values.	O ID 1/2
X	SN108	668 Line Item Status Code Code specifying the action taken by the seller on a line item requested by the buyer	O ID 2/2

Refer to 003010 Data Element Dictionary for acceptable code values.

Segment: **PRF** Purchase Order Reference
Position: 050
Loop: HL Mandatory
Level: Detail
Usage: Mandatory
Max Use: 1
Purpose: To provide reference to a specific purchase order
Syntax Notes:
Semantic Notes:
Comments:

Data Element Summary

	Ref.	Data		
	Des.	Element	Name	Attributes
M	PRF01	324	Purchase Order Number	M AN 1/22
			Identifying number for Purchase Order assigned by the orderer/purchaser	
X	PRF02	328	Release Number	O AN 1/30
			Number identifying a release against a Purchase Order previously placed by the parties involved in the transaction	
X	PRF03	327	Change Order Sequence Number	O AN 1/8
			Number assigned by the orderer identifying a specific change or revision to a previously transmitted transaction set	
X	PRF04	323	Purchase Order Date	O DT 6/6
			Date assigned by the purchaser to Purchase Order	
X	PRF05	350	Assigned Identification	O AN 1/6
			Alphanumeric characters assigned for differentiation within a transaction set	
X	PRF06	367	Contract Number	O AN 1/30
			Contract number	

Segment: **REF** Reference Numbers
Position: 150
Loop: HL Mandatory
Level: Detail
Usage: Mandatory
Max Use: 200
Purpose: To specify identifying numbers.
Syntax Notes: 1 At least one of REF02 or REF03 is required.
Semantic Notes:
Comments:

Data Element Summary

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	<u>Attributes</u>
M	REF01	128	Reference Number Qualifier Code qualifying the Reference Number. DK Dock Number	M ID 2/2
	REF02	127	Reference Number Reference number or identification number as defined for a particular Transaction Set, or as specified by the Reference Number Qualifier.	C AN 1/2
X	REF03	352	Description A free-form description to clarify the related data elements and their content	C AN 1/80

Segment: **REF** Reference Numbers
Position: 150
Loop: HL Mandatory
Level: Detail
Usage: Optional
Max Use: 200
Purpose: To specify identifying numbers.
Syntax Notes: 1 At least one of REF02 or REF03 is required.
Semantic Notes:
Comments:

Data Element Summary

<u>Ref.</u>	<u>Data</u>	<u>Element</u>	<u>Name</u>	<u>Attributes</u>
REF01	128		Reference Number Qualifier Code qualifying the Reference Number. PK Packing List Number	O ID 2/2
REF02	127		Reference Number Reference number or identification number as defined for a particular Transaction Set, or as specified by the Reference Number Qualifier.	C AN 1/30
X	REF03	352	Description A free-form description to clarify the related data elements and their content	C AN 1/80

Segment: **CLD** Load Detail

Position: 170

Loop: CLD Optional

Level: Detail

Usage: Optional

Max Use: 1

Purpose: To specify the number of material loads shipped

Syntax Notes:

Semantic Notes:

- Comments:**
- 1 The CLD data segment may be used to provide information to aid in the preparation of move tags and/or bar coded labels.
 - 2 CLD05, "Unit of Measure Code," is used to dimension the value given in CLD04, "Size."

Notes: CLD*300*.405*CNT71!

Data Element Summary

<u>Ref.</u>	<u>Data</u>	<u>Element</u>	<u>Name</u>	<u>Attributes</u>
M	CLD01	622	Number of Loads Number of customer-defined loads shipped by the supplier	M N0 1/5
M	CLD02	382	Number of Units Shipped Numeric value of units shipped in manufacturer's shipping units for a line item or transaction set	M R 1/10
	CLD03	103	Packaging Code Code identifying the type of packaging; Part 1: Packaging Form, Part 2: Packaging Material CNT Container 71 Not Otherwise Specified	O ID 5/5
X	CLD04	357	Size Size of supplier units in pack	O R 1/8
X	CLD05	355	Unit or Basis for Measurement Code Code identifying the basic unit of measurement. Refer to 003010 Data Element Dictionary for acceptable code values.	O ID 2/2

Segment: **CTT Transaction Totals**

Position: 010

Loop:

Level: Summary

Usage: Mandatory

Max Use: 1

Purpose: To transmit a hash total for a specific element in the transaction set

Syntax Notes: 1 If CTT03 is present, then CTT04 is required.

2 If CTT05 is present, then CTT06 is required.

Semantic Notes:

Comments: 1 This segment is intended to provide hash totals to validate transaction completeness and correctness.

Data Element Summary

Ref.	Data		
<u>Des.</u>	<u>Element</u>	<u>Name</u>	<u>Attributes</u>
M	CTT01	354 Number of Line Items	M N0 1/6
		Total number of line items in the transaction set	
	CTT02	347 Hash Total	O R 1/10
		Sum of values of the specified data element. All values in the data element will be summed without regard to decimal points (explicit or implicit) or signs. Truncation will occur on the left most digits if the sum is greater than the maximum size of the hash total of the data element.	
		Example:	
		-.0018 First occurrence of value being hashed. .18 Second occurrence of value being hashed. 1.8 Third occurrence of value being hashed. 18.01 Fourth occurrence of value being hashed. ----- 1855 Hash total prior to truncation. 855 Hash total after truncation to three-digit field.	
	CTT03	81 Weight	O R 1/8
		Numeric value of weight	
	CTT04	355 Unit or Basis for Measurement Code	C ID 2/2
		Code identifying the basic unit of measurement. Refer to 003010 Data Element Dictionary for acceptable code values.	
	CTT05	183 Volume	O R 1/8
		Value of volumetric measure	
	CTT06	355 Unit or Basis for Measurement Code	C ID 2/2
		Code identifying the basic unit of measurement. Refer to 003010 Data Element Dictionary for acceptable code values.	
	CTT07	352 Description	O AN 1/80
		A free-form description to clarify the related data elements and their content	

Segment: **SE** Transaction Set Trailer
Position: 020
Loop:
Level: Summary
Usage: Mandatory
Max Use: 1
Purpose: To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments).

Syntax Notes:

Semantic Notes:

Comments: 1 SE is the last segment of each transaction set.

Data Element Summary

	Ref. <u>Des.</u>	Data		<u>Attributes</u>
		<u>Element</u>	<u>Name</u>	
M	SE01	96	Number of Included Segments	M N0 1/6
			Total number of segments included in a transaction set including ST and SE segments	
M	SE02	329	Transaction Set Control Number	M AN 4/9
			Identifying control number assigned by the originator for a transaction set.	